

# Health Professionals Report : Capacity, Accessibility and Production

**Specialty of Interest: Geriatrician** 

Authors: P. Meeus, A. Khalil, S. De Pril, K. Declercq, K. Daïnou, V. Maton

Contents
Introduction
Specialty Metrics and Comparison
Geographical Accessibility
Financial Accessibility
Continuous Professional Development
Activity Level, Working Place and Composition
Subspecialties Activity and Working Place
Accessibility, Insured Coverage
Accessibility, Insured Frequentation
Patient Frequentation
Frequentation Complementarity
Workload
Evolution of the Workforce Demography
Demographic Evolution by Age Group
Annex 1 : FTE Details
Annex 2 : Types of Practice





# Introduction

#### Introduction

This report provides a comprehensive overview per healthcare specialty working within the Belgian health insurance system, within hospital and ambulatory settings.

#### Professional perspective:

 Aspects covered are: capacity, production (numbers and financials), subspecialties, replacement rates. Those aspects are described by gender, age, geography, type of activity, workplace, evolution.

#### Patient perspective:

• Accessibility and frequentation are described by gender, age, social status, geographical distribution, evolution.

#### **Data Sources & Transformations**

This report draws insights from the "Doc P" database, encompassing patients who sought care in Belgium and claimed insurance reimbursement. The database spans from accounting years:

- 2013 to 2023 for health professionals
- 2018 to 2023 for health professionals subspecialties
- 2018 to 2022 for insured coverage and patient frequentation

Each studied year N is coupled with socio-demographic data on providers as of December 31 N.

To address GDPR (General Data Protection Regulation) compliance for small cell data, numbers from fewer than 5 registered providers are hidden.

#### **Contact**

 $\underline{appropriate care@riziv-inami.fgov.be}$ 

#### **Additional information**

For official information regarding the number of healthcare providers :

NIHDI : please click <u>here</u>MOH : please click <u>here</u>

#### **Key Variables & Metrics**

Healthcare professional perspective (specialty is determined by grouping NIHDI competency codes):

- <u>Demographic characteristics</u> are age (groups by 10Y), sex (M/F), working address (or contact address if not available), communication language (Dutch/French), convention status (full, partly), activity status (>1 intervention/year), type of prestation (see <u>NIHDI</u> nomenclature).
- <u>Numeric characteristics</u> are number of professionals (all providers registered within INAMI-RIZIV), number and cost of (reimbursed) prestations. Evolution is available since 2012 for professionals figures and since 2018 for the study of their activity.
- <u>FTE (full-time equivalent)</u> is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median amount of reimbursements for providers aged 45 to 54 in the same specialty, see Annex 1). FTE values are capped at 1. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0.82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration. Medical homes with lumpsum are not included in the productivity calculation. General practitioners with "Fee for Service" in the title specifies that doctors and patients in medical homes with lumpsum are excluded from the analysis.
- Working place: distinction is made between private, polyclinic, day hospitals, or hospital stays, depending on the place of prestation.
- <u>Subspecialty Clusters</u>: Healthcare providers within a specialty can be clustered based on ([sub] group of similar) nomenclature codes reimbursed or working place.
- Indicators of Density: FTE/10.000 insured, total activity/FTE, reimbursement/FTE, number of patients/FTE.

#### Patient perspective:

- <u>Demographic characteristics</u> are age, sex (M/F), address of residence (not treatment place!) (by region, province, etc.), social status (normal and preferential regime [BIM])), type of specialty contacted during the year.
- <u>Patients Indicators</u>: insured coverage (% at least 1 contact) (N.B. Specialists in training included), insured frequentation (number of contacts/insured), patient frequentation (number contacts/patient).

A KPI (Key Performance Indicator) color system is used in this report. It is shown as

- Grey for contextual information
- Green for positive performance compared to starting year
- Red for negative performance compared to starting year

### **Limitations & Assumptions**

- Professional density: metrics in this report were not standardized to a consistent population size, which means comparisons between regions or provinces may not be entirely fair or accurate.
- Patient analysis uses actual care years, not accounting years, unlike other analyses. If the analysis year is N, the last available year for patient analysis is N-1 in order to present relevant data.
- The calculation of FTEs may be impacted by modifications of competency codes over the years. A change within a specialty affects the median of reimbursements and thus generates breaks in the evolution of FTEs (see the recognition of nephrologists since 2022 for internal medicine). The median value changes depending on the year (see Annex 1).



# Speciality Metrics and Comparison (2023): Geriatrician

This sheet compares the specialty of interest (left) with comparison group (right).

Geriatrician			
Competency Description Code			
10180	Geriatrics Specialists		
10184	Geriatrics Specialists with recognition in functional and professional rehabilitation for the disabled		

	Geriatrician	Internal Pathology
# N SubSpecialities	1	13
# N Total	483	9,345
# N Active	413	7,538
# Full-Time Equivalent (FTE)	283	5,194
€ Expenses per FTE	320,344	427,666
65+	% Active % FTE 8% 4%	% Active % FTE  14% 8%
Convention  Accreditation	% Active % FTE 100% 100% 90% 95%	% Active % FTE  79% 74%  84% 92%

# **Internal Pathology**

#### Profession

Cardiologist

Dermatologist

Endocrinologist

 ${\it Gastroenterologist}$ 

General Internal Medicine

Geriatrician

Hematologist

Medical Oncologist

Neurologist

Physical Medicine

Pulmonologist

Radiotherapist

Rheumatologist




# Geographical Accessibility (2023): Geriatrician

Geographical accessibility is measured by density, calculated as the number of FTE (Full Time Equivalent) per 10.000 insured and comparing the results between provinces and regions. Metrics in this report were not standardized to a consistent population size.

#### <u>Indicators</u>:


- Geographical distribution which enables to check for homogeneity.
- Evolution over 10 years and growth rate within that period.
- Comparison of number of FTE and number of insured to detect correlation.




Demographic Information by Province				
Province	#FTE	Density (FTE per 10.000 Insured)	%65+ (FTE)	%Women (FTE)
West-Vlaanderen	40.62	0.33	2%	78%
Oost-Vlaanderen	42.18	0.27	3%	73%
Antwerpen	47.47	0.25	7%	71%
Limburg	25.82	0.29	2%	55%
Vlaams-Brabant	15.52	0.13	11%	80%
Brussels	32.95	0.29	3%	64%
Brabant Wallon	4.74	0.12	0%	100%
Hainaut	36.45	0.27	3%	64%
Namur	8.92	0.18	0%	88%
Liège	24.62	0.22	7%	78%
Luxembourg	3.72	0.16	0%	99%
Total	283.02	0.25	4%	72%

FTE per 10.000 Insured in Belgium (2023)

**0.25**2013: 0.18 (+35.18%)







# Financial Accessibility (2023): Geriatrician

Financial accessibility is measured by the number of conventioned FTE (Full time equivalent) by 10.000 insured.

Convention means that the professional is committed to respect prices determined in the NIHDI convention. This agreement can occur partly (at specific hours during the week) or totally (all the working hours). The conventioned FTE for partially conventioned providers is calculated as half of their total FTE.

#### Indicators:

- % FTE meeting the criteria / total FTE
- Financial accessibility is gauged by conventioned FTE (Full Time Equivalent) per 10.000 insured.

## % Conventioned FTE (2023)

100%


2013: 97% (+2.2%)


# % Conventioned FTE by Language and Regime

•	<i></i>		3
Language	Part	Full	Total
FR	0%	99%	99%
NL		100%	100%
Total	0%	100%	100%

Demograp	hic In	format	ion by	Province
----------	--------	--------	--------	----------

Province	Density (FTE per 10.000 Insured)	Density (Conventioned FTE per 10.000 Insured)	% Conventioned FTE
West-Vlaanderen	0.33	0.33	100%
Oost-Vlaanderen	0.27	0.27	100%
Antwerpen	0.25	0.25	100%
Limburg	0.29	0.29	100%
Vlaams-Brabant	0.13	0.13	100%
Brussels	0.29	0.28	98%
Brabant Wallon	0.12	0.12	100%
Hainaut	0.27	0.27	100%
Namur	0.18	0.18	100%
Liège	0.22	0.22	98%
Luxembourg	0.16	0.16	100%
Total	0.25	0.24	100%







# Continuous Professional Development (2023): Geriatrician

CPD (continuous professional development) is measured by accreditation criteria.

Accreditation means that the professional meets several CPD (continuous professional development) criteria (which indicates the will for quality of care).

#### <u>Indicator</u>:

• % FTE meeting the criteria / total FTE

% Accredited FTE (2023)


95%
2013: 90% (+6.06%)


# % Accredited FTE by Language and Gender

Language	F	M	Total
FR	91%	89%	90%
NL	97%	99%	98%
Total	95%	95%	95%

Demographic	Information	by Province
-------------	-------------	-------------

Province	Density (FTE per 10.000 Insured)	Density (Accredited FTE per 10.000 Insured)	% Accredited FTE
West-Vlaanderen	0.33	0.33	100%
Oost-Vlaanderen	0.27	0.26	97%
Antwerpen	0.25	0.24	98%
Limburg	0.29	0.28	96%
Vlaams-Brabant	0.13	0.13	97%
Brussels	0.29	0.28	97%
Brabant Wallon	0.12	0.09	80%
Hainaut	0.27	0.24	88%
Namur	0.18	0.14	78%
Liège	0.22	0.20	90%
Luxembourg	0.16	0.16	100%
Total	0.25	0.23	95%







# Subspecialties Activity and Working Place : Geriatrician

Reimbursement by FTE (2023)

**320,742** 2018: 290,075 (+10.57%)

The level of activity is measured by the total reimbursement amount of the specialty. The distribution of the reimbursement by specialty allows to distinguish different types of activity which are grouped to study what kind of procedures are done and where. The type of activity is described by 2 criteria: the place of work and the nature of the activity:


- The place of work is the place where the activity takes place (private, polyclinic, day hospital, hospital stay).
- The nature of the activity is described according to 2 logics of grouping. The traditional distribution of reimbursements within NIHDI (N01 contacts, N20 surgery, etc.) and a specific, more detailed breakdown to identify sub-specialties within the specialty (i.e. cardiac surgery within surgery).

#### Indicators:


- Reimbursement (in Euros) / FTE
- % Reimbursement (in Euros) by category / total reimbursement (in Euros)

The evolution provides information on the stability of the patterns of the activity comparing year N with N-5.


# Reimbursement by Working Place (2018 vs 2023)







# Top 5 Reimbursement (Specific Groups, 2018 vs 2023)



GroupN	GroupN Description	
N00	Supervision of hospitalized beneficiaries	
N01	N01 Consultations visits and medical advices	
N13	13 General special dispensations and punctures	
N50	X-ray diagnosis	
N56	Neuropsychiatry	

GroupA	Description
I26_PRESTATIONS_TE	Technic prest.
J04_CONS_SURVEILLA	Monitoring
J24_CONS_CONSULTAT	Consultation
J25_CONS_TELECONSU	Teleconsult.
P07_EDUCATION_SEVR	Tobacco (educ.)

# Subspecialties Activity and Working Place (2023): Geriatrician

Subspecialties are identified by the working place and/or type of activity (see previous page): the assignment of a health care provider to a sub-specialty prioritizes the type of activity exercised. In general, the type of activity with the most reimbursements, if the amount exceeds 10% of reimbursements in all types of activity, determines the specialty of the health care provider. If no particular activity was identified for the specialty, the assignment was done on the criterium of the workplace: hospital, polyclinic, private. If there is no clear distinction between the different locations, then the cluster is named "Mixed". Clusters less than 5 FTE or less than 0,5% of total FTE are left out. Comparison of clusters helps to understand differences in nature of work.

Indicators:

- % FTE by type of cluster
- % type of activity (in Euro ) / total reimbursement (in euro) by cluster

# FTE and median Reimbursement by Subspecialty Subspecialty FTE Reimb per Provider Hospi 259 264,881 Mixed 21 161,573



# Accessibility, Insured Coverage (2022): Geriatrician

Insured Coverage by

**GMF Status** 


Disparities in insured coverage can help to understand accessibility.


#### Indicator:


• Percentage of insured persons having at least one contact per year with the specialty (by category of patient) (N.B. Specialists in training included)

Comparison between categories of patients helps to identify possible disparities in accessibility by criterium (gender, age group, geography or socio-economic status, Global Medical File (GMF) status).

# possible disparities in accessibility by status, Global Medical File (GMF) status). GMF GMF No Chronic GMF Insured Coverage (2022)









2 % ! 2018: 2% (-7%) Ratio Female/Male (2022) 1.52 2018: 1.55 (-1.55%)

Ratio Bim/Standard (2022)

2.89
2018: 3.02 (-4.09%)







# Accessibility, Contacts per Insured (2022): Geriatrician

Number of contacts per insured is a complementary measure to understand accessibility.

<u>Indicator</u>: number of contacts (by category of insured) is respectively calculated

- per insured
- per patient (insured who at least has one contact with health provider)

Categories of insured are defined by several criteria: gender, social status, age group, residence geography.

Contacts per Insured (2022)

2018: 0.13 (-2.25%)

Insured Coverage (2022)

2018: 2% (-8.21%)

Contacts per Patient (2022)


**6.92** 2018: 6.50 (+6.5%)

Average Contacts per Insured by So Status (2018 vs 2022)					
	0.30 0.29 <b>Year</b>				
)	●2022				
	0.2				
	0.1 0.08 0.09				
	0.0 BIM Standard				

Age Patient	Contacts per Insured	Insured Coverage	Contacts per Patient
00-04	0.00	0%	1.06
05-09	0.00	0%	1.07
10-14	0.00	0%	1.13
15-19	0.00	0%	1.17
20-29	0.00	0%	1.21
30-39	0.00	0%	1.32
40-49	0.00	0%	1.58
50-59	0.01	0%	2.16
60-69	0.02	1%	3.41
70-79	0.29	4%	6.60
80+	1.66	20%	8.37

Average Contacts per Insured (2018 vs 2022)					
0.15 0.13 0.13 0.14 0.12	<b>Year</b>				
0.10					
0.05					
0.00 Flanders Brussels Wallonia					

Province	Contacts per Insured	Insured Coverage	Contacts per Patient
West-Vlaanderen	0.16	2%	7.00
Oost-Vlaanderen	0.13	2%	7.61
Antwerpen	0.13	2%	6.60
Limburg	0.14	2%	6.16
Vlaams-Brabant	0.12	2%	6.40
Brussels	0.14	2%	9.08
Brabant Wallon	0.12	1%	8.21
Hainaut	0.13	2%	7.71
Namur	0.08	1%	6.26
Liège	0.15	2%	9.18
Luxembourg	0.06	1%	5.37







# Patient Frequentation (2022): Geriatrician


Frequentation of patients (number of contacts) is a measure to understand health consumption and workload.


<u>Indicator</u>: number of contacts (by patient category) is calculated per patient (insured who at least has one contact with a health provider).

Categories of patients are defined by several criteria: gender, social status, age group, residence geography, GMF (Global Medical File) Status.









**6.92** 2018: 6.50 (+6.5%)

Average Providers per Patient (2022)


**1.5** 2018: 1.4 (+6.2%)


Average Age of Contacts (2022)

**83.5** 2018: 83.5 (+0.06%)

Average Age of Patients (2022)

**78.6** 2018: 77.6 (+1.35%)









# Complementarity with comparison group (2022): Geriatrician


Complementarity compares on the one side insured coverage and on the other side patient frequentation (contacts per patient).

#### Indicators:

- Insured coverage
- Patient frequentation (contacts per patient)









# Workload (2022): Geriatrician

Workload by specialty provides insight into the work volume per year of the specialty by FTE and the patient base population (Individual patients are allocated to one single professional per specialty per year to build the patient base population for each single professional (age, language, gender, work address, convention status, accreditation)

#### Indicators:

- Workload : contacts / FTE
- Patient base population: Patients / FTE
- Contacts per patient per provider

Limitation: working address of health professionals can be different than the location of patients. This can explain differences in workload results (contact/FTE, patients/FTE) and lead to misinterpretation for geographical criteria (province) especially for small numbers of working professionals. Also if the number of FTE by cell is inferior to 5, contacts per FTE and patients per FTE are hidden.

Average Contacts per FTE (2022)

**5,432** 2018: 5963 (-8.89%)

Average Patients per FTE (2022)

**743** 2018: 906 (-17.97%)

Average Contacts per Patient and Provider (2022)

**4. 3** 2018: 4.4 (+0.52%)

Province •	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
West-Vlaanderen	5,279	738	4.0
Oost-Vlaanderen	5,997	808	4.1
Antwerpen	5,125	778	4.0
Limburg	4,818	775	3.0
Vlaams-Brabant	5,126	810	3.8
Brussels	5,943	692	5.4
Brabant Wallon	6,094	728	6.5
Hainaut	4,871	641	4.9
Namur	3,866	591	4.2
Liège	7,239	801	6.6
Luxembourg	3,474	626	4.9

Age Class	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
34 -	4,891	678	4.0
35-44	5,026	709	4.3
45-54	5,585	768	4.5
55-64	6,328	800	4.9
65 +	5,451	805	4.4

Gender	Contacts per FTE	Patients Per FTE  ▼	Contacts per Patient and Provider
М	6,274	886	4.4
F	5,095	686	4.5

Language	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
FR	5,432	743	4.5
NL	5,432	743	4.5

Convention	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
Full	5,431	738	4.5
No	5,686	1,627	2.9
Partial	5,818	2,941	1.9

Accredited	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
No	6,763	821	6.0
Yes	5,376	740	4.4



# **Evolution of the Workforce Demography: Geriatrician**


Healthcare workforce demographics present active professionals having more than one activity per year on the <u>left side</u> of the page, while Full-Time Equivalents (FTE) are displayed on the <u>right side</u>. The analysis spans the past decade and is segmented by professional characteristics such as age class, gender, and language.

#### Active indicators (Left):

- Number of Actives (>1 prestation /accounting year) and its % growth rate over the past decade.
- Replacement Rate: Active professionals above 55 years compared to those below 55 years.
- Inactivity: % of inactive professionals in relation to the total.
- New Active Providers per Year: Annual influx of new providers (derived from linear regression over the past decade to estimate the average rate).

#### FTE indicators (Right):

- Equal proportion of gender: Indicates the percentage of female FTE in relation to the total FTE.
- Average FTE: Indicates the level of activity by dividing the FTE below 65 years with the total active workforce.





5.6%

% Growth Rate of NL Active Providers

3.9%



3.26 × 2013: 2.59 (+25.68%)


% of Inactive Providers < 65y (2023)

**5%** 2013: 2% (+142.31%) New FR Active Providers per Year

8.7

New NL Active Providers per Year

7.7




# Avg FTE per Active Provider < 65y (2023)

**U.** / **Z** ! 2013: 0.75 (-4.83%)

% Female among total FTE (2023)

**72%** 2013: 54% (+32.78%)







# Demographic Evolution by Age Group (2023): Geriatrician


Demographic evolution by age group and activity of professionals above 65 years (provides information on the demographic stability).


#### Indicators:

- Trend in age group distribution (active/FTE),
- Age FTE: average of a professional's age weighted by its corresponding Full-Time Equivalent (FTE) value, by language of the provider.
- Contribution of older practitioners to the overall activity: % 65+ FTE/ Total FTE









2013: 3% (+37.67%)



# Annex 1: FTE Details (2023): Geriatrician

FTE (full-time equivalent) is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median of reimbursements for providers aged 45 to 54 in the same specialty).

The median amount of reimbursement for providers aged 45 to 54 is calculated each year. Evolution is not adjusted for inflation.

FTE values are capped at 1. See the comparison per active provider by sex, language and age group.


N.B. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0,82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration.

Avg FTE per Active Provider (2023)

**0.69** 2013: 0.74 (-6.88%)

Avg FTE per Active Provider by	
Language and Gender	

Language	F	М	Total
FR	0.56	0.64	0.58
NL	0.81	0.68	0.77
Total	0.69	0.67	0.69







# Annex 2: Type of Practice (2023): Geriatrician

Type of practice (FTE) by age group and region. Evolution and trends

#### 5 types of practices are represented:

- Nursing home: represents care facilities for the elderly or individuals requiring psychiatric care.
- Group: represents collective practices or facilities where professionals work together (ex: medical house with lumpsum, mental health center, day care center, public pharmacies, medical laboratories, bandagist/orthopedist workshops).
- Hospital: represents hospitals or medical establishments (ex: general hospitals, psychiatric hospitals, hospital pharmacies)
- Solo: represents individual practitioners or private addresses.
- Other: represents facilities or organizations not falling into the above categories (ex: physiotherapy office, tariff office, organizations with a registered business number)

N.B. Not Available (NA) values are decreasing over time as the database becomes increasingly complete.

