

Health Professionals Report : Capacity, Accessibility and Production

Specialty of Interest: Orthopedic Surgeon

Authors: P. Meeus, A. Khalil, S. De Pril, K. Declercq, K. Daïnou, V. Maton

Contents Introduction **Specialty Metrics and Comparison Geographical Accessibility Financial Accessibility Continuous Professional Development Activity Level, Working Place and Composition Subspecialties Activity and Working Place Accessibility, Insured Coverage Accessibility, Insured Frequentation Patient Frequentation Frequentation Complementarity** Workload **Evolution of the Workforce Demography Demographic Evolution by Age Group Annex 1: FTE Details Annex 2: Types of Practice**



INAMI-RIZIV

Introduction

Introduction

This report provides a comprehensive overview per healthcare specialty working within the Belgian health insurance system, within hospital and ambulatory settings.

Professional perspective:

 Aspects covered are: capacity, production (numbers and financials), subspecialties, replacement rates. Those aspects are described by gender, age, geography, type of activity, workplace, evolution.

Patient perspective:

• Accessibility and frequentation are described by gender, age, social status, geographical distribution, evolution.

Data Sources & Transformations

This report draws insights from the "Doc P" database, encompassing patients who sought care in Belgium and claimed insurance reimbursement. The database spans from accounting years:

- 2013 to 2023 for health professionals
- 2018 to 2023 for health professionals subspecialties
- 2018 to 2022 for insured coverage and patient frequentation

Each studied year N is coupled with socio-demographic data on providers as of December 31 N.

To address GDPR (General Data Protection Regulation) compliance for small cell data, numbers from fewer than 5 registered providers are hidden.

Contact

 $\underline{appropriate care@riziv-inami.fgov.be}$

Additional information

For official information regarding the number of healthcare providers :

NIHDI : please click <u>FR | NL</u>
MOH : please click <u>FR | NL</u>

Key Variables & Metrics

Healthcare professional perspective (specialty is determined by grouping <u>NIHDI competency codes</u>):

- <u>Demographic characteristics</u> are age (groups by 10Y), sex (M/F), working address (or contact address if not available), communication language (Dutch/French), convention status (full, partly), activity status (>1 intervention/year), type of prestation (see <u>NIHDI</u> nomenclature).
- <u>Numeric characteristics</u> are number of professionals (all providers registered within INAMI-RIZIV), number and cost of (reimbursed) prestations. Evolution is available since 2012 for professionals figures and since 2018 for the study of their activity.
- <u>FTE (full-time equivalent)</u> is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median amount of reimbursements for providers aged 45 to 54 in the same specialty, see Annex 1). FTE values are capped at 1. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0.82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration. Medical homes with lumpsum are not included in the productivity calculation. General practitioners with "Fee for Service" in the title specifies that doctors and patients in medical homes with lumpsum are excluded from the analysis. Weighted conventioned FTE refers to the adjusted calculation where FTEs for partially conventioned providers are multiplied by 0,5.
- Working place: distinction is made between private, polyclinic, day hospitals, or hospital stays, depending on the place of prestation.
- <u>Subspecialty Clusters</u>: Healthcare providers within a specialty can be clustered based on ([sub] group of similar) nomenclature codes reimbursed or working place.
- Indicators of Density: FTE/10.000 insured, total activity/FTE, reimbursement/FTE, number of patients/FTE.

Patient perspective:

- <u>Demographic characteristics</u> are age, sex (M/F), address of residence (not treatment place!) (by region, province, etc.), social status (normal and preferential regime [BIM])), type of specialty contacted during the year.
- <u>Patients Indicators</u>: insured coverage (% at least 1 contact) (N.B. Specialists in training included), insured frequentation (number of contacts/insured), patient frequentation (number contacts/patient).

A KPI (Key Performance Indicator) color system is used in this report. It is shown as

- Grey for contextual information
- Green for positive performance compared to starting year
- Red for negative performance compared to starting year

Limitations & Assumptions

- Professional density: metrics in this report were not standardized to a consistent population size, which means comparisons between regions or provinces may not be entirely fair or accurate.
- Patient analysis uses actual care years, not accounting years, unlike other analyses. If the analysis year is N, the last available year for patient analysis is N-1 in order to present relevant data.
- The calculation of FTEs may be impacted by modifications of competency codes over the years. A change within a specialty affects the median of reimbursements and thus generates breaks in the evolution of FTEs (see the recognition of nephrologists since 2022 for internal medicine). The median value changes depending on the year (see Annex 1).



Speciality Metrics and Comparison (2023): Orthopedic Surgeon

This sheet compares the specialty of interest (left) with comparison group (right).

	Orthopedic Surgeon
Competency Code	Description
10480	Orthopedic Surgery Specialists
10481	Orthopedic Surgery Specialist with a title in General Medicine
10489	Orthopedic Surgery Specialists with a special professional title in Emergency Medicine
10494	Orthopedic Surgery Specialists with recognition in functional and professional rehabilitation for the disabled

	Orthopedic Surgeon	Surgical Pathology
# N SubSpecialities	1	10
# N Total	1,437	11,481
# N Active	1,116	8,758
# Full-Time Equivalent (FTE)	742	6,090
€ Expenses per FTE	367,000	357,861
65+	% Active % FTE 13% 5%	% Active % FTE 11% 5%
Convention Weighted Convention Accreditation	% Active % FTE 51% 42% 44% 34%	% Active % FTE 71% 69% 67% 65%
Accreditation	76% 86%	77% 86%

Surgical Pathology

Profession

Acute Medicine and Emergency Medicine
Anesthesiologist
ENT Specialist
General Surgeon
Neurosurgeon
Ophthalmologic
Surgeon
Orthopedic Surgeon
Plastic Surgeon
Stomatologist
Urologist




Geographical Accessibility (2023): Orthopedic Surgeon

Geographical accessibility is measured by density, calculated as the number of FTE (Full Time Equivalent) per 10.000 insured and comparing the results between provinces and regions. Metrics in this report were not standardized to a consistent population size.

<u>Indicators</u>:


- Geographical distribution which enables to check for homogeneity.
- Evolution over 10 years and growth rate within that period.
- Comparison of number of FTE and number of insured to detect correlation.




Demographic Information by Province				
Province	#FTE	Density (FTE per 10.000 Insured)	%65+ (FTE)	%Women (FTE)
West-Vlaanderen	92.97	0.76	1%	7%
Oost-Vlaanderen	115.04	0.73	8%	11%
Antwerpen	131.49	0.69	5%	14%
Limburg	52.67	0.60	3%	8%
Vlaams-Brabant	53.33	0.45	3%	12%
Brussels	84.98	0.74	8%	9%
Brabant Wallon	28.01	0.68	5%	13%
Hainaut	81.25	0.60	3%	11%
Namur	35.52	0.70	7%	14%
Liège	53.63	0.49	10%	13%
Luxembourg	12.96	0.57	6%	12%
Total	741.84	0.64	5%	11%

FTE per 10.000 Insured in Belgium (2023)

0.64 × 2013: 0.61 (+6.12%)







Financial Accessibility (2023): Orthopedic Surgeon

Financial accessibility is measured by the number of weighted conventioned FTE (Full time equivalent) by 10.000 insured. Weighted conventioned FTE refers to the adjusted calculation where FTEs for partially conventioned providers are multiplied by 0,5.

Convention means that the professional is committed to respect prices determined in the NIHDI convention. This agreement can occur partly (at specific hours during the week) or totally (all the working hours). The conventioned FTE for partially conventioned providers is calculated as half of their total FTE.

<u>Indicators</u>:

- % FTE meeting the criteria / total FTE
- Financial accessibility is gauged by weighted conventioned FTE (Full Time Equivalent) per 10.000 insured.

% Weighted Conventioned FTE (2023)


34%! 2013: 43% (-21.02%)


% Conventioned FTE by Language and Regime

Language	Part	Full	Total	Weighted
FR	12%	41%	66%	53%
NL	7%	16%	29%	22%
Total	9%	25%	42%	34%

Demographic information by Province					
Province	Density (FTE per 10.000 Insured)	Density (Weighted Conventioned FTE per 10.000 Insured)	% Weighted Conventioned FTE		
West-Vlaanderen	0.76	0.14	18%		
Oost-Vlaanderen	0.73	0.11	15%		
Antwerpen	0.69	0.20	29%		
Limburg	0.60	0.18	31%		
Vlaams-Brabant	0.45	0.08	18%		
Brussels	0.74	0.29	39%		
Brabant Wallon	0.68	0.14	21%		
Hainaut	0.60	0.43	72%		
Namur	0.70	0.40	57%		
Liège	0.49	0.22	45%		
Luxembourg	0.57	0.49	86%		
Total	0.64	0.22	34%		

Demographic Information by Province







Continuous Professional Development (2023): Orthopedic Surgeon

CPD (continuous professional development) is measured by accreditation criteria.

Accreditation means that the professional meets several CPD (continuous professional development) criteria (which indicates the will for quality of care).

Indicator:

• % FTE meeting the criteria / total FTE


% Accredited FTE (2023) **86%**2013: 77% (+11.83%)


% Accredited FTE by Language and Gender

Language	F	М	Total
FR	77%	78%	78%
NL	97%	90%	91%
Total	90%	86%	86%

	Demogra	phic	Info	rmati	ion b	y Pro	vince
_		_		_			

Province	Density (FTE per 10.000 Insured)	Density (Accredited FTE per 10.000 Insured)	% Accredited FTE
West-Vlaanderen	0.76	0.74	97%
Oost-Vlaanderen	0.73	0.68	93%
Antwerpen	0.69	0.61	89%
Limburg	0.60	0.57	95%
Vlaams-Brabant	0.45	0.37	82%
Brussels	0.74	0.59	80%
Brabant Wallon	0.68	0.55	80%
Hainaut	0.60	0.53	88%
Namur	0.70	0.61	87%
Liège	0.49	0.27	56%
Luxembourg	0.57	0.47	83%
Total	0.64	0.56	86%







Subspecialties Activity and Working Place: Orthopedic Surgeon

Reimbursement by FTE (2023)

367,528 2018: 313,924 (+17.08%)

The level of activity is measured by the total reimbursement amount of the specialty. The distribution of the reimbursement by specialty allows to distinguish different types of activity which are grouped to study what kind of procedures are done and where. The type of activity is described by 2 criteria: the place of work and the nature of the activity:


- The place of work is the place where the activity takes place (private, polyclinic, day hospital, hospital stay).
- The nature of the activity is described according to 2 logics of grouping. The traditional distribution of reimbursements within NIHDI (N01 contacts, N20 surgery, etc.) and a specific, more detailed breakdown to identify sub-specialties within the specialty (i.e. cardiac surgery within surgery).

Indicators:


- Reimbursement (in Euros) / FTE
- % Reimbursement (in Euros) by category / total reimbursement (in Euros)

The evolution provides information on the stability of the patterns of the activity comparing year N with N-5.


Reimbursement by Working Place (2018 vs 2023)



Top 5 Reimbursement (NIHDI Groups, 2018 vs 2023)



Top 5 Reimbursement (Specific Groups, 2018 vs 2023)



GroupN ▲	Description
N00	Supervision of hospitalized beneficiaries
N01	Consultations visits and medical advices
N19	Urgent technical services - Art 26 §1 +1ter + pseudos
N32	Orthopedics
N50	X-ray diagnosis

Description
Knee Surg.
Hip Surg.
Hand
Upper Limb
Consultation


Subspecialties Activity and Working Place (2023): Orthopedic Surgeon

Subspecialties are identified by the working place and/or type of activity (see previous page): the assignment of a health care provider to a sub-specialty prioritizes the type of activity exercised. In general, the type of activity with the most reimbursements, if the amount exceeds 10% of reimbursements in all types of activity, determines the specialty of the health care provider. If no particular activity was identified for the specialty, the assignment was done on the criterium of the workplace: hospital, polyclinic, private. If there is no clear distinction between the different locations, then the cluster is named "Mixed". Clusters less than 0,5% of total FTE are left out. Comparison of clusters helps to understand differences in nature of work. Indicators:


- % FTE by type of cluster
- % type of activity (in Euro) / total reimbursement (in euro) by cluster


FTE and median Reimbursement by Subspecialty

Subspecialty	FTE	Reimb per Provider
Spine	48	293,943
MINF -Hip	113	304,400
MINF -Knee	173	308,314
MINF	83	249,574
MSUP	234	273,171
Mixed	78	266,810










NIHDI Group

N00

●N01

N32

N35




Accessibility, Insured Coverage (2022): Orthopedic Surgeon


Disparities in insured coverage can help to understand accessibility.

Indicator:

• Percentage of insured persons having at least one contact per year with the specialty (by category of patient) (N.B. Specialists in training included)

Comparison between categories of patients helps to identify possible disparities in accessibility by criterium (gender, age group, geography or socio-economic status, Global Medical File (GMF) status).







2018: 13% (+2.5%)


Ratio Female/Male (2022)


1.13 2018: 1.17 (-3.1%)


Ratio Bim/Standard (2022)


1.13 2018: 1.19 (-5.18%)

Insured Coverage by Age of Patients











Accessibility, Contacts per Insured (2022): Orthopedic Surgeon

Number of contacts per insured is a complementary measure to understand accessibility.

<u>Indicator</u>: number of contacts (by category of insured) is respectively calculated

- per insured
- per patient (insured who at least has one contact with health provider)

Categories of insured are defined by several criteria: gender, social status, age group, residence geography.

Contacts per Insured (2022)

2018: 0.34 (-5.26%)

Insured Coverage (2022)

2018: 13% (-6.11%)

Contacts per Patient (2022)


2.66 2018: 2.63 (+0.89%)

	Average Contacts per Insured by Social Status (2018 vs 2022)				
	0.41 _{0.40} Year				
J	0.4 0.32 0.33 0.32				
	0.3				
	0.1				
	0.0				
	BIM Standard				

Age Patient	Contacts per Insured	Insured Coverage	Contacts per Patient
00-04	0.09	5%	1.71
05-09	0.12	7%	1.86
10-14	0.22	12%	1.94
15-19	0.25	12%	2.13
20-29	0.20	9%	2.23
30-39	0.22	10%	2.35
40-49	0.33	13%	2.60
50-59	0.50	17%	2.88
60-69	0.53	18%	2.94
70-79	0.58	19%	3.05
80+	0.48	17%	2.88

Average Contacts per Insured (2018 vs 2022)					
0.4	0.35		0.33 0.32	• Year • 2018	
0.3		0.32	0.33 0.32	2022	
0.2 · · · · ·					
0.1					
0.0	Flanders	Brussels	Wallonia		

Province	Contacts per Insured	Insured Coverage	Contacts per Patient
West-Vlaanderen	0.41	15%	2.78
Oost-Vlaanderen	0.38	14%	2.78
Antwerpen	0.34	14%	2.52
Limburg	0.34	13%	2.68
Vlaams-Brabant	0.34	14%	2.46
Brussels	0.32	13%	2.53
Brabant Wallon	0.33	13%	2.60
Hainaut	0.39	14%	2.74
Namur	0.35	13%	2.72
Liège	0.23	9%	2.51
Luxembourg	0.34	13%	2.68






Patient Frequentation (2022): Orthopedic Surgeon


Frequentation of patients (number of contacts) is a measure to understand health consumption and workload.


<u>Indicator</u>: number of contacts (by patient category) is calculated per patient (insured who at least has one contact with a health provider).

Categories of patients are defined by several criteria: gender, social status, age group, residence geography, GMF (Global Medical File) Status.









2.66 2018: 2.63 (+0.89%)

Average Providers per Patient (2022)


2018: 1.3 (+0.25%)


Average Age of Contacts (2022)

52.2 2018: 51.6 (+1.1%)

Average Age of Patients (2022)

49.0 2018: 48.2 (+1.65%)









Complementarity with comparison group (2022): Orthopedic Surgeon


Complementarity compares on the one side insured coverage and on the other side patient frequentation (contacts per patient).

Indicators:

- Insured coverage
- Patient frequentation (contacts per patient)









Workload (2022) : Orthopedic Surgeon

Workload by specialty provides insight into the work volume per year of the specialty by FTE and the patient base population (Individual patients are allocated to one single professional per specialty per year to build the patient base population for each single professional/ provider) (N.B. Specialists in training are excluded). The classification criteria are linked to the healthcare professional (age, language, gender, work address, convention status, accreditation)

Indicators:

- Workload : contacts / FTE
- Patient base population: Patients / FTE
- Contacts per patient per provider

Limitation: working address of health professionals can be different than the location of patients. This can explain differences in workload results (contact/FTE, patients/FTE) and lead to misinterpretation for geographical criteria (province) especially for small numbers of working professionals. Also if the number of FTE by cell is inferior to 5, contacts per FTE and patients per FTE are hidden.

Average Contacts per FTE (2022)

5,509 2018: 5303 (+3.87%)

Average Patients per FTE (2022)

2,086 2018: 2010 (+3.8%)

Average Contacts per Patient and Provider (2022)

2.U 2018: 2.0 (-1.63%)

Province	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
West-Vlaanderen	5,559	2,036	2.0
Oost-Vlaanderen	5,915	2,155	2.1
Antwerpen	5,408	2,122	1.9
Limburg	5,435	2,024	1.9
Vlaams-Brabant	5,232	2,112	1.8
Brussels	6,294	2,456	1.9
Brabant Wallon	4,834	1,772	2.0
Hainaut	5,624	2,059	2.1
Namur	5,037	1,858	2.0
Liège	4,699	1,885	2.0
Luxembourg	4,430	1,607	2.2

Age Class	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
34 -	5,066	1,841	1.9
35-44	5,246	1,921	2.0
45-54	5,379	1,984	2.0
55-64	5,648	2,219	1.9
65 +	7,939	3,425	1.9

Gender	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
F	5,365	2,091	1.9
М	5,524	2,086	2.0

Language	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
FR	5,390	2,060	2.0
NL	5,577	2,102	2.0

Convention	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
Full	5,659	2,301	1.9
No	5,438	2,013	2.0
Partial	5,503	2,000	2.0

Accredited	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
No	5,197	2,022	2.0
Yes	5,557	2,096	2.0



Evolution of the Workforce Demography: Orthopedic Surgeon


Healthcare workforce demographics present active professionals having more than one activity per year on the <u>left side</u> of the page, while Full-Time Equivalents (FTE) are displayed on the <u>right side</u>. The analysis spans the past decade and is segmented by professional characteristics such as age class, gender, and language.

Active indicators (Left):

- Number of Actives (>1 prestation /accounting year) and its % growth rate over the past 5 years.
- Replacement Rate: Active professionals above 55 years compared to those below 55 years.
- Inactivity: % of inactive professionals in relation to the total.

FTE indicators (Right):

- Equal proportion of gender: Indicates the percentage of female FTE in relation to the total FTE.
- Average FTE: Indicates the level of activity by dividing the FTE below 65 years with the total active workforce.





-0.3%

% Growth Rate of NL Active Providers


1.2%

Replacement Rate FR (Active under 55 by 55+) (2023)

1.38 × 2019: 1.25 (+11%)

Replacement Rate NL (Active under 55 by 55+) (2023)


1.70~ 2019: 1.64 (+3.82%)



1 1 % 2019: 6% (+100.4%)

% of NL Inactive Providers < 65y (2023)


2019: 5% (+6.45%)





 % Female among total FTE (2023)

1 1 %
2019: 8% (+35.76%)







Demographic Evolution by Age Group (2023): Orthopedic Surgeon


Demographic evolution by age group and activity of professionals above 65 years (provides information on the demographic stability).


Indicators:

- Trend in age group distribution (active/FTE),
- Age FTE: average of a professional's age weighted by its corresponding Full-Time Equivalent (FTE) value, by language of the provider.
- Contribution of older practitioners to the overall activity: % 65+ FTE/ Total FTE











Annex 1: FTE Details (2023): Orthopedic Surgeon

FTE (full-time equivalent) is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median of reimbursements for providers aged 45 to 54 in the same specialty).

The median amount of reimbursement for providers aged 45 to 54 is calculated each year. Evolution is not adjusted for inflation.


FTE values are capped at 1. See the comparison per active provider by sex, language and age group.


N.B. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0,82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration.

Avg FTE per Active Provider (2023)

0.66 2013: 0.70 (-4.37%)

Language and Gender					
Language	F	M	Total		
FR	0.44	0.62	0.59		
NL	0.58	0.74	0.71		
Total	0.52	0.69	0.66		







Annex 2: Type of Practice (2023): Orthopedic Surgeon

Type of practice (FTE) by age group and region. Evolution and trends

5 types of practices are represented:

- Nursing home: represents care facilities for the elderly or individuals requiring psychiatric care.
- Group: represents collective practices or facilities where professionals work together (ex: medical house with lumpsum, mental health center, day care center, public pharmacies, medical laboratories, bandagist/orthopedist workshops, physiotherapy office).
- Hospital: represents hospitals or medical establishments (ex: general hospitals, psychiatric hospitals, hospital pharmacies)
- Solo: represents individual practitioners or private addresses.
- Other: represents facilities or organizations not falling into the above categories (ex: tariff office, organizations with a registered business number)

N.B. Not Available (NA) values are decreasing over time as the database becomes increasingly complete.

