

Health Professionals Report : Capacity, Accessibility and Production

Specialty of Interest : Endocrinologist

Authors : P. Meeus, A. Khalil, S. De Pril, K. Declercq, K. Daïnou, V. Maton

	Contents	
	Introduction	
Specialty	Metrics and Comparison	
Ge	eographical Accessibility	
	Financial Accessibility	
Continuous P	Professional Development	
Activity Level, Workin	g Place and Composition	
Subspecialties Ac	ctivity and Working Place	
Access	sibility, Insured Coverage	
Accessibili	ty, Insured Frequentation	
	Patient Frequentation	
Freque	entation Complementarity	
	Workload	
Evolution of the	e Workforce Demography	
Demographic	c Evolution by Age Group	
	Annex 1 : FTE Details	
An	nex 2 : Types of Practice	



Introduction

Introduction

This report provides a comprehensive overview per healthcare specialty working within the Belgian health insurance system, within hospital and ambulatory settings.

Professional perspective :

• Aspects covered are: capacity, production (numbers and financials), subspecialties, replacement rates. Those aspects are described by gender, age, geography, type of activity, workplace, evolution.

Patient perspective :

• Accessibility and frequentation are described by gender, age, social status, geographical distribution, evolution.

Data Sources & Transformations

This report draws insights from the "Doc P" database, encompassing patients who sought care in Belgium and claimed insurance reimbursement. The database spans from accounting years :

- 2013 to 2023 for health professionals
- 2018 to 2023 for health professionals subspecialties
- 2018 to 2022 for insured coverage and patient frequentation

Each studied year N is coupled with socio-demographic data on providers as of December 31 N.

To address GDPR (General Data Protection Regulation) compliance for small cell data, numbers from fewer than 5 registered providers are hidden.

Contact

appropriatecare@riziv-inami.fgov.be

Additional information

For official information regarding the number of healthcare providers :

- NIHDI : please click <u>FR | NL</u>
- MOH : please click <u>FR | NL</u>

Key Variables & Metrics

Healthcare professional perspective (specialty is determined by grouping <u>NIHDI competency codes</u>) :

- <u>Demographic characteristics</u> are age (groups by 10Y), sex (M/F), working address (or contact address if not available), communication language (Dutch/French), convention status (full, partly), activity status (>1 intervention/year), type of prestation (see <u>NIHDI</u> <u>nomenclature</u>).
- <u>Numeric characteristics</u> are number of professionals (all providers registered within INAMI-RIZIV), number and cost of (reimbursed) prestations. Evolution is available since 2012 for professionals figures and since 2018 for the study of their activity.
- <u>FTE (full-time equivalent)</u> is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median amount of reimbursements for providers aged 45 to 54 in the same specialty, see Annex 1). FTE values are capped at 1. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0.82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration. Medical homes with lumpsum are not included in the productivity calculation. General practitioners with "Fee for Service" in the title specifies that doctors and patients in medical homes with lumpsum are excluded from the analysis. Weighted conventioned FTE refers to the adjusted calculation where FTEs for partially conventioned providers are multiplied by 0,5.
- Working place : distinction is made between private, polyclinic, day hospitals, or hospital stays, depending on the place of prestation.
- <u>Subspecialty Clusters</u> : Healthcare providers within a specialty can be clustered based on ([sub] group of similar) nomenclature codes reimbursed or working place.
- Indicators of Density : FTE/10.000 insured, total activity/FTE, reimbursement/FTE, number of patients/FTE.

Patient perspective :

- <u>Demographic characteristics</u> are age, sex (M/F), address of residence (not treatment place !) (by region, province, etc.), social status (normal and preferential regime [BIM])), type of specialty contacted during the year.
- <u>Patients Indicators</u> : insured coverage (% at least 1 contact) (N.B. Specialists in training included), insured frequentation (number of contacts/insured), patient frequentation (number contacts/patient).
- A KPI (Key Performance Indicator) color system is used in this report. It is shown as
- Grey for contextual information
- Green for positive performance compared to starting year
- Red for negative performance compared to starting year

Limitations & Assumptions

- Professional density : metrics in this report were not standardized to a consistent population size, which means comparisons between regions or provinces may not be entirely fair or accurate.
- Patient analysis uses actual care years, not accounting years, unlike other analyses. If the analysis year is N, the last available year for patient analysis is N-1 in order to present relevant data.
- The calculation of FTEs may be impacted by modifications of competency codes over the years. A change within a specialty affects the median of reimbursements and thus generates breaks in the evolution of FTEs (see the recognition of nephrologists since 2022 for internal medicine). The median value changes depending on the year (see Annex 1).



Speciality Metrics and Comparison (2023) : Endocrinologist

This sheet compares the specialty of interest (left) with comparison group (right).

En	docrinologist		Endocrinologist	Internal Pathology	Internal Patholo
ompetency Code	Description	# N SubSpecialities	1	13	Profession Cardiologist
	edicine Specialists with a special al title in Endocrinology-Diabetology	# N Total	416	9,346	Dermatologist Endocrinologist Gastroenterologist
		# N Active	385	7,538	General Internal Medicine Geriatrician
		# Full-Time Equivalent (FTE)	286	5,194	Hematologist Medical Oncologist Neurologist
		€ Expenses per FTE	241,293	427,666	Physical Medicine Pulmonologist Radiotherapist
		65+	% Active % FTE 14% 7%	% Active % FTE 14% 8%	Rheumatologist
		Convention	% Active % FTE 95% 97%	% Active % FTE 79% 78%	
		Weighted Convention Accreditation	92%94%87%93%	76% 74% 84% 92%	





Geographical Accessibility (2023) : Endocrinologist

Geographical accessibility is measured by density, calculated as the number of FTE (Full Time Equivalent) per 10.000 insured and comparing the results between provinces and regions. Metrics in this report were not standardized to a consistent population size.


Indicators :

- Geographical distribution which enables to check for homogeneity.
- Evolution over 10 years and growth rate within that period.
- Comparison of number of FTE and number of insured to detect correlation.





	Demo	graphic Informati	on by Provii	nce
Province	#FTE	Density (FTE per 10.000 Insured)	%65+ (FTE)	%Women (FTE)
West-Vlaanderen	27.00	0.22	4%	68%
Oost-Vlaanderen	39.93	0.25	0%	65%
Antwerpen	35.42	0.19	7%	66%
Limburg	17.53	0.20	0%	57%
Vlaams-Brabant	20.44	0.17	2%	87%
Brussels	48.90	0.43	14%	60%
Brabant Wallon	3.94	0.10	0%	34%
Hainaut	38.29	0.28	13%	66%
Namur	10.50	0.21	11%	56%
Liège	37.59	0.34	7%	73%
Luxembourg	6.41	0.28		70%
Total	285.95	0.25	7%	66 %



FTE per 10.000 Insured in Belgium (2023) 0.25 2013: 0.17 (+44.14%)



Financial accessibility is measured by the number of weighted conventioned FTE (Full time equivalent) by 10.000 insured. Weighted conventioned FTE refers to the adjusted calculation where FTEs for partially conventioned providers are multiplied by 0,5.


Convention means that the professional is committed to respect prices determined in the NIHDI convention. This agreement can occur partly (at specific hours during the week) or totally (all the working hours). The conventioned FTE for partially conventioned providers is calculated as half of their total FTE.


Indicators :

- \bullet % FTE meeting the criteria / total FTE
- Financial accessibility is gauged by weighted conventioned FTE (Full Time Equivalent) per 10.000 insured.

% Weigh (2023)	ted C	onve	ntione	d FTE		
	9	249	6~			
			+4.719	%)		W
					,	0
						A
% Conve			-	Language		Li
	an	d Reg	gime			VI
Language	Part	Full	Total	Weighted		Br
FR	3%	89%	94%	91%		Br
NL	3%	92%	99%	95%		H
Total	3%	90%	97 %	94 %		N
						Li

Dem	ographic	Information by Provi	nce
Province	Density (FTE per 10.000 Insured)	Density (Weighted Conventioned FTE per 10.000 Insured)	% Weighted Conventioned FTE
West-Vlaanderen	0.22	0.22	100%
Oost-Vlaanderen	0.25	0.24	95%
Antwerpen	0.19	0.18	100%
Limburg	0.20	0.19	94%
Vlaams-Brabant	0.17	0.14	83%
Brussels	0.43	0.37	87%
Brabant Wallon	0.10	0.04	44%
Hainaut	0.28	0.28	98%
Namur	0.21	0.21	100%
Liège	0.34	0.31	92%
Luxembourg	0.28	0.28	100%
Total	0.25	0.23	94 %





% Differences Weighted Conventioned FTE by Province



CPD (continuous professional development) is measured by accreditation criteria. Accreditation means that the professional meets several CPD (continuous professional development) criteria (which indicates the will for quality of care).


Indicator :


• % FTE meeting the criteria / total FTE

% Accredited FTE (2023)
93% ~ 2013: 92% (+1.35%)

	% Accre		FTE b Gend	•	guage
	Language	F	м	Total	
	FR	88%	89%	89%	
	NL	98%	96%	97 %	
	Total	94%	93%	93%	
L					

Demogra	Demographic Information by Province							
Province	Density (FTE per 10.000 Insured)	Density (Accredited FTE per 10.000 Insured)	% Accredited FTE					
West-Vlaanderen	0.22	0.22	99%					
Oost-Vlaanderen	0.25	0.25	97%					
Antwerpen	0.19	0.18	98%					
Limburg	0.20	0.19	94%					
Vlaams-Brabant	0.17	0.17	100%					
Brussels	0.43	0.38	88%					
Brabant Wallon	0.10	0.08	84%					
Hainaut	0.28	0.25	86%					
Namur	0.21	0.21	100%					
Liège	0.34	0.31	91%					
Luxembourg	0.28	0.24	85%					
Total	0.25	0.23	93%					








Subspecialties Activity and Working Place : Endocrinologist

The level of activity is measured by the total reimbursement amount of the specialty. The distribution of the reimbursement by specialty allows to distinguish different types of activity which are grouped to study what kind of procedures are done and where. The type of activity is described by 2 criteria: the place of work and the nature of the activity:

- The place of work is the place where the activity takes place (private, polyclinic, day hospital, hospital stay).
- The nature of the activity is described according to 2 logics of grouping. The traditional distribution of reimbursements within NIHDI (N01 contacts, N20 surgery, etc.) and a specific, more detailed breakdown to identify sub-specialties within the specialty (i.e. cardiac surgery within surgery). Indicators :
- Reimbursement (in Euros) / FTE
- % Reimbursement (in Euros) by category / total reimbursement (in Euros)

The evolution provides information on the stability of the patterns of the activity comparing year N with N-5.



GroupN ▲	Description
N00	Supervision of hospitalized beneficiaries
N01	Consultations visits and medical advices
N13	General special dispensations and punctures
N50	X-ray diagnosis
N81	Kidney dialysis

GroupA	Description
CONS_CONSULTAT	Consultation
CONS_SURVEILLA	Monitoring
CONS_TELECONSU	Teleconsult.
EDUCATION	Education
PRESTATIONS_TE	Technic prest.

Subspecialties Activity and Working Place (2023) : Endocrinologist


Subspecialties are identified by the working place and/or type of activity (see previous page): the assignment of a health care provider to a sub-specialty prioritizes the type of activity exercised. In general, the type of activity with the most reimbursements, if the amount exceeds 10% of reimbursements in all types of activity, determines the specialty of the health care provider. If no particular activity was identified for the specialty, the assignment was done on the criterium of the workplace: hospital, polyclinic, private. If there is no clear distinction between the different locations, then the cluster is named "Mixed". Clusters less than 5 FTE or less than 0,5% of total FTE are left out. Comparison of clusters helps to understand differences in nature of work. Indicators :

- % FTE by type of cluster
- % type of activity (in Euro) / total reimbursement (in euro) by cluster






Accessibility, Insured Coverage (2022) : Endocrinologist





Accessibility, Contacts per Insured (2022) : Endocrinologist



© 2025 TomTom, © 2025 Microsoft Corporation

Year

2018

2022


0.08

Standard

0.07





Patient Frequentation (2022) : Endocrinologist





Complementarity with comparison group (2022) : Endocrinologist







Workload (2022) : Endocrinologist

Workload by specialty provides insight into the work volume per year of the specialty by FTE and the patient base population (Individual patients are allocated to one single professional per specialty per year to build the patient base population for each single professional/ provider) (N.B. Specialists in training are excluded). The classification criteria are linked to the healthcare professional (age, language, gender, work address, convention status, accreditation)

Indicators:

- Workload : contacts / FTE
- Patient base population: Patients / FTE

34 -

35-44

45-54

55-64

65 +

• Contacts per patient per provider

Limitation : working address of health professionals can be different than the location of patients. This can explain differences in workload results (contact/FTE, patients/FTE) and lead to misinterpretation for geographical criteria (province) especially for small numbers of working professionals. Also if the number of FTE by cell is inferior to 5, contacts per FTE and patients per FTE are hidden.

Average Contacts per FTE (2022)	Province	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider	Gei	nder	Contacts per FTE	Patients Per FTE	Cont a
	West-Vlaanderen	4,408	1,988	2.0	F		3,448	1,607	
3,883	Oost-Vlaanderen	3,696	1,792	1.8	М		4,731	2,325	
2018: 3717 (+4.46%)	Antwerpen	4,003	1,842	2.0			_		
	Limburg	5,840	2,788	1.9					
	Vlaams-Brabant	3,076	1,482	1.7	Lang	juage	Contacts per FTE	Patients Per FTE	
Average Patients per FTE (2022)	Brussels	4,081	1,957	1.8	_				ar
	Brabant Wallon	3,929	1,999	1.7	FR		3,547	1,772	
1,850	Hainaut	3,770	1,726	2.0	NL		4,186	1,921	
2018: 1726 (+7.19%)	Namur	3,171	1,591	1.8					
	Liège	3,311	1,673	1.8	Convo	ention	Contacts per FTE	Patiants Par ETE	Contac
	Luxembourg	2,479	1,358	1.7	Conve				and
verage Contacts per Patient and					Full		3,951	1,871	
rovider (2022)					No		3,769	1,792	
1.9	Age Class	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider	Partia	al	3,009	1,592	
2018: 1.9 (-2.52%)	24	2 272	1 5 4 1	1.0					

1,541

1,645

1,978

1,802

2,499

1.8

1.9

1.9

2.0

1.6

3,273

3,508

4,110

4,075

4,358

Accredited	Contacts per FTE	Patients Per FTE	Contacts per Patient and Provider
No	5,569	3,230	1.6
Yes	3,740	1,733	1.9




Healthcare workforce demographics present active professionals having more than one activity per year on the <u>left side</u> of the page, while Full-Time Equivalents (FTE) are displayed on the <u>right side</u>. The analysis spans the past decade and is segmented by professional characteristics such as age class, gender, and language. Active indicators (Left):

- Number of Actives (>1 prestation /accounting year) and its % growth rate over the past 5 years.
- Replacement Rate: Active professionals above 55 years compared to those below 55 years.
- Inactivity: % of inactive professionals in relation to the total.

FTE indicators (Right):

- Equal proportion of gender: Indicates the percentage of female FTE in relation to the total FTE.
- Average FTE: Indicates the level of activity by dividing the FTE below 65 years with the total active workforce.







Demographic Evolution by Age Group (2023) : Endocrinologist


Demographic evolution by age group and activity of professionals above 65 years (provides information on the demographic stability).

Indicators :

- Trend in age group distribution (active/FTE),
- Age FTE : average of a professional's age weighted by its corresponding Full-Time Equivalent (FTE) value, by language of the provider.
- Contribution of older practitioners to the overall activity: % 65+ FTE/ Total FTE







285.95

Total

7%




<u>FTE (full-time equivalent)</u> is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median of reimbursements for providers aged 45 to 54 in the same specialty).

The median amount of reimbursement for providers aged 45 to 54 is calculated each year. Evolution is not adjusted for inflation.

FTE values are capped at 1. See the comparison per active provider by sex, language and age group.

N.B. The FTE for employed doctors in medical homes (lump sum financing) was estimated at 0,82 per doctor because the actual FTE cannot be evaluated given the absence of activity registration.





Annex 2: Type of Practice (2023) : Endocrinologist

Type of practice (FTE) by age group and region. Evolution and trends

- 5 types of practices are represented:
- Nursing home: represents care facilities for the elderly or individuals requiring psychiatric care.
- Group: represents collective practices or facilities where professionals work together (ex: medical house with lumpsum, mental health center, day care center, public pharmacies, medical laboratories, bandagist/orthopedist workshops, physiotherapy office).
- Hospital: represents hospitals or medical establishments (ex: general hospitals, psychiatric hospitals, hospital pharmacies)
- Solo: represents individual practitioners or private addresses.
- Other: represents facilities or organizations not falling into the above categories (ex: tariff office, organizations with a registered business number)

N.B. Not Available (NA) values are decreasing over time as the database becomes increasingly complete.

